



# SAFETY DATA SHEET

Issue Date 09-Mar-2018

Revision Date 08-Mar-2018

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Name** Blaze 8 Cleaner-Degreaser

### Other means of identification

**Product Code** NL220

**Synonyms** None

### Details of the supplier of the safety data sheet

**Company Name** Nyco Products Company  
5332 Dansher Road  
Countryside, IL 60525  
(708) 579-8100  
nycoproducts.com

### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |                |
|-----------------------------------|----------------|
| Acute toxicity - Oral             | Not classified |
| Acute toxicity - Dermal           | Not classified |
| Skin corrosion/irritation         | Category 1     |
| Serious eye damage/eye irritation | Category 1     |

### Label elements

#### Emergency Overview

# Danger

#### **Hazard statements**

Causes severe skin burns and eye damage



**Appearance** Clear Violet

**Physical state** Liquid

**Odor** Sassafras

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician  
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
 Drink plenty of water  
 Immediately call a POISON CENTER or doctor/physician

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

**Hazards not otherwise classified (HNOC)****Other Information**

Unknown Acute Toxicity 0.02% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name             | CAS No.     | Weight-% | Trade Secret |
|---------------------------|-------------|----------|--------------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5    | 1-5      | *            |
| 2-butoxyethanol           | 111-76-2    | 1-5      | *            |
| Sodium Metasilicate       | 6834-92-0   | 1-5      | *            |
| Surfactant Blend          | Proprietary | 1-5      | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

|   |  |
|---|--|
| <b>General advice</b>                     | Immediate medical attention is required.   |
| <b>Skin Contact</b>                       | Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.   |
| <b>Eye contact</b>                        | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.  |
| <b>Inhalation</b>                         | Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.   |
| <b>Ingestion</b>                          | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. |
| <b>Self-protection of the first aider</b> | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.  |

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions**

**Environmental precautions** Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                         | ACGIH TLV                                | OSHA PEL   | NIOSH IDLH   |
|---------------------------------------|--|--|--|
| 2-(2-butoxyethoxy)ethanol<br>112-34-5 | TWA: 10 ppm inhalable fraction and vapor | -  | -  |
| 2-butoxyethanol<br>111-76-2           | TWA: 20 ppm                              | TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup><br>(vacated) TWA: 25 ppm<br>(vacated) TWA: 120 mg/m <sup>3</sup><br>(vacated) S*<br>S* | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m <sup>3</sup>   |
| Sodium Hydroxide<br>1310-73-2         | Ceiling: 2 mg/m <sup>3</sup>             | TWA: 2 mg/m <sup>3</sup><br>(vacated) Ceiling: 2 mg/m <sup>3</sup>   | IDLH: 10 mg/m <sup>3</sup><br>Ceiling: 2 mg/m <sup>3</sup> |

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

### Individual protection measures, such as personal protective equipment

- Eye/face protection** Tight sealing safety goggles. Wear a face shield if splashing hazard exists.
- Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Clear Violet  
**Color** Violet  
**Odor** Sassafras  
**Odor threshold** No Information available

| <u>Property</u>              | <u>Values</u>            | <u>Remarks • Method</u> |
|------------------------------|--------------------------|-------------------------|
| pH                           | 12.5 - 13.5              |                         |
| Specific Gravity             | 1.017                    |                         |
| Viscosity                    | <25 cP @ 25°C            |                         |
| Melting point/freezing point | No Information available |                         |

|                                      |                          |                |
|--------------------------------------|--------------------------|----------------|
| <b>Flash point</b>                   | None                     |                |
| <b>Boiling point / boiling range</b> | 100 °C / 212 ° F Degrees |                |
| <b>Evaporation rate</b>              | No Information available |                |
| <b>Flammability (solid, gas)</b>     | No data available        |                |
| <b>Flammability Limits in Air</b>    |                          | Not Applicable |
| <b>Upper flammability limit:</b>     | No Information available |                |
| <b>Lower flammability limit:</b>     | No Information available |                |
| <b>Vapor pressure</b>                | No Information available |                |
| <b>Vapor density</b>                 | No Information available |                |
| <b>Water solubility</b>              | Complete                 |                |
| <b>Partition coefficient</b>         | No Information available |                |
| <b>Autoignition temperature</b>      | No Information available |                |
| <b>Decomposition temperature</b>     | No Information available |                |

**Other Information**

|                        |     |
|------------------------|-----|
| <b>Density Lbs/Gal</b> | 8.5 |
| <b>VOC Content (%)</b> | 6   |

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

**Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information**

The primary effects and toxicity of this material are due to its corrosive nature.

**Inhalation**

Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.

**Eye contact**

Avoid contact with eyes. Corrosive. Causes severe eye damage.

**Skin Contact**

Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. Prolonged or repeated contact may cause absorption to the skin.

**Ingestion**

Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

| Chemical Name                         | Oral LD50            | Dermal LD50             | Inhalation LC50                             |
|---------------------------------------|----------------------|-------------------------|---|
| 2-(2-butoxyethoxy)ethanol<br>112-34-5 | = 5660 mg/kg ( Rat ) | = 2700 mg/kg ( Rabbit ) | -   |
| 2-butoxyethanol<br>111-76-2           | = 470 mg/kg ( Rat )  | = 99 mg/kg ( Rabbit )   | = 486 ppm ( Rat ) 4 h = 450 ppm ( Rat ) 4 h |
| Sodium Metasilicate<br>6834-92-0      | = 1153 mg/kg ( Rat ) | -                       | -   |

|                  |                      |                      |   |
|------------------|----------------------|----------------------|---|
| Surfactant Blend | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat ) | - |
|------------------|----------------------|----------------------|---|

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Corrosivity** Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.

**Sensitization** No Information available.

**Germ cell mutagenicity** No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name               | ACGIH | IARC    | NTP | OSHA |
|-----------------------------|-------|---------|-----|------|
| 2-butoxyethanol<br>111-76-2 | A3    | Group 3 | -   | -    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 -Not classifiable as a human carcinogen

**Reproductive toxicity** No Information available.

**STOT - single exposure** No Information available.

**STOT - repeated exposure** No Information available.

**Chronic toxicity** Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target organ effects** Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.

**Aspiration hazard** No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0.02% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 14,372.00

**ATEmix (dermal)** 26,318.00

**ATEmix (inhalation-dust/mist)** 75.00

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

0.02% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name                            | Algae/aquatic plants                          | Fish  | Crustacea  |
|--|---|---|--|
| 2-(2-butoxyethoxy)ethanol<br>112-34-5    | 100: 96 h Desmodesmus subspicatus mg/L EC50   | 1300: 96 h Lepomis macrochirus mg/L LC50 static   | 2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50         |
| 2-butoxyethanol<br>111-76-2              | -   | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50      | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Sodium Metasilicate<br>6834-92-0         | -   | 210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50       | 216: 96 h Daphnia magna mg/L EC50  |
| Surfactant Blend                         | -   | 1.2: 96 h Oncorhynchus mykiss mg/L LC50   | 5.3: 48 h Daphnia mg/L LC50  |
| Tetrasodium EDTA<br>64-02-8              | 1.01: 72 h Desmodesmus subspicatus mg/L EC50  | 59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static | 610: 24 h Daphnia magna mg/L EC50  |
| Sodium Hydroxide<br>1310-73-2            | -   | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static   | -  |
| Trisodium nitrilotriacetate<br>5064-31-3 | 560 - 1000: 96 h Chlorella vulgaris mg/L EC50 | 93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 252: 96 h                           | 560 - 1000: 48 h Daphnia magna mg/L LC50                                     |

|  |  |   |  |
|--|--|---|--|
|  |  | Lepomis macrochirus mg/L LC50<br>560 - 1000: 96 h Oryzias latipes<br>mg/L LC50 semi-static 72 - 133: 96<br>h Oncorhynchus mykiss mg/L LC50<br>static 560 - 1000: 96 h Poecilia<br>reticulata mg/L LC50 560 - 1000: 96<br>h Poecilia reticulata mg/L LC50<br>semi-static 470: 96 h Pimephales<br>promelas mg/L LC50 static 175 -<br>225: 96 h Lepomis macrochirus<br>mg/L LC50 static 560 - 1000: 96 h<br>Oryzias latipes mg/L LC50 114: 96<br>h Pimephales promelas mg/L LC50 |  |
|--|--|---|--|

**Persistence and degradability**

No Information available.

**Bioaccumulation**

Bioaccumulative potential.

| Chemical Name               | Partition coefficient |
|-----------------------------|-----------------------|
| 2-butoxyethanol<br>111-76-2 | 0.81                  |

**Other adverse effects**

No Information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT**

Not regulated

**TDG**

Not regulated

### 15. REGULATORY INFORMATION

**International Inventories****TSCA**

Complies

**DSL/NDSL**

Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                        | SARA 313 - Threshold Values % |
|--------------------------------------|-------------------------------|
| 2-(2-butoxyethoxy)ethanol - 112-34-5 | 1.0                           |
| 2-butoxyethanol - 111-76-2           | 1.0                           |

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

**US State Regulations**

**California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

**U.S. State Right-to-Know Regulations**

| Chemical Name                            | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| 2-(2-butoxyethoxy)ethanol<br>112-34-5    | X          | -             | X            |
| 2-butoxyethanol<br>111-76-2              | X          | X             | X            |
| Sodium Hydroxide<br>1310-73-2            | X          | X             | X            |
| Trisodium nitrilotriacetate<br>5064-31-3 | -          | X             | -            |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

|             |                  |                |                    |                                    |
|-------------|------------------|----------------|--------------------|------------------------------------|
| <b>NFPA</b> | Health hazards 3 | Flammability 1 | Instability 0      | Physical and Chemical Properties - |
| <b>HMIS</b> | Health hazards 3 | Flammability 1 | Physical hazards 0 | Personal protection B              |

Issue Date 09-Mar-2018

Revision Date 08-Mar-2018

**Revision Note**

No Information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet