

SAFETY DATA SHEET

Issue Date 27-Jan-2021

Revision Date 27-Jan-2021

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier	
Product Name	
Other means of identification)

ez2mix Spray & Wipe Degreaser

Other means of identificationProduct CodeEZ006-480SynonymsNone

Details of the supplier of the safety data sheet			
Company Name	Nyco Products Company 5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com		
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300		

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements May be harmful if swallowed Causes severe skin burns and eye damage



Appearance Clear Blue

Physical state Liquid

Odor Solvent Mint

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	10-30	*
Sodium Metasilicate	6834-92-0	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Inhalation	Remove to fresh air. Get medical attention for any breathing difficulty.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.	

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically. 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.	
Methods and material for contain	ment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. Take up mechanically, placing in appropriate containers for disposal. After cleaning, flush away traces with water.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.	
Conditions for safe storage, inclu	uding any incompatibilities	
Storage Conditions	Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.	
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³	
NIOSH IDLH Immediately Dange	rous to Life or Health			
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).			
Appropriate engineering contro	ls			
Engineering Controls	Showers, Eyewash stations & Ventilation systems.			
Individual protection measures	such as personal protective	equipment		
Eye/face protection	Tight sealing safety goggles. Wear a face shield if splashing hazard exists.			
Skin and body protection		Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.			
General Hygiene	When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Blue Blue Solvent Mint No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit:	Values 13.0 - 14.0 0.996 < 25 cP @ 25°C No Information available > 140 °F No Information available No data available No Information available	<u>Re</u>
Lower flammability limit: Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature	No Information available No Information available No Information available Complete No Information available No Information available	

Remarks • Method

Decomposition temperature No Information available

Other Information

Density Lbs/Gal VOC Content (%)

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

8.30

14

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.	
Inhalation	Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.	
Eye contact	Avoid contact with eyes. Corrosive. Causes severe eye damage.	
Skin Contact	May be harmful in contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. Maybe harmful if absorbed through skin.	
Ingestion	May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg(Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h
Sodium Metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.				
Sensitization	No Informatio	on available.			
Germ cell mutagenicity	No Information	No Information available.			
Carcinogenicity	The table bel	ow indicates whether each	agency has listed any ing	redient as a carcinogen.	
Chemical Name	ACGIH	IARC	NTP	OSHA	
2-butoxyethanol	A3	Group 3	_	-	

111-76-2						
ACGIH (American Conference of Governmental Industrial Hygienists)						
A3 - Animal Carcinogen						
IARC (International Agency for Research on Cancer)						
Group 3 -Not classifiable as a human carcinogen						
Reproductive toxicity	broductive toxicity No Information available.					
STOT - single exposure	No Information available.					
STOT - repeated exposure	No Information available.					
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw					
-	necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are					
	common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.					
	Possible risk of irreversible effects. May cause adverse effects on the bone marrow and					
	blood-forming system. May cause adverse liver effects.					
Target organ effects	Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory					
raiget ergan encote	system, Skin.					
Aspiration hazard	No Information available.					
Numerical measures of toxicity -	Product Information					
Unknown Acute Toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity					
The following values are calculate	d based on chapter 3.1 of the GHS document .					
ATEmix (oral)	3,248.40					
ATEmix (dermal)	3,107.10					
ATEmix (inhalation-dust/mist)	10.70					
,						

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static	EC50
		2950: 96 h Lepomis macrochirus	
		mg/L LC50	
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	-
6834-92-0		LC50	
		210: 96 h Brachydanio rerio mg/L	
		LC50 semi-static	
Lauramine Oxide	-	134: 96 h Danio rerio mg/L LC50	-
1643-20-5		semi-static	

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient	
2-butoxyethanol	0.81	
111-76-2		

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

<u>TDG</u>

Not regulated

15. REGULATORY INFORMATION

Complies
Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Acetic acid, 2,2-dichloro. which is known to the state of California to cause cancer, or birth defects or other reproductive harm. For More Information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol	Х	Х	Х
111-76-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
NFPA	Health hazards	3	Flammability	0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards	3	Flammability	0	Physical hazards 0	Personal protection B
Issue Date	27-	Jan-202	1			
Revision Date	27-Jan-2021					
Revision Note						
No Information available						
<u>Disclaimer</u>						
The information provide	ed in this Safety I	Data Sh	eet is correct t	o the best	t of our knowledge, infor	mation and belief at the
					lance for safe handling, anty or quality specificat	use, processing, storage, ion, The information

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet