

# SAFETY DATA SHEET

Issue Date 26-Jan-2021

Revision Date 26-Jan-2021

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Product identifier</u> Product Name	ez2mix Heavy Duty Restroom Cleaner
<u>Other means of identification</u> Product Code Synonyms	EZ016-480 None
<u>Details of the supplier of the safety</u> Company Name	<u>data sheet</u> Nyco Products Company 5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

**Classification** 

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

**Emergency Overview** 



Hazard statements

Causes severe skin burns and eye damage



Appearance Clear Pink

Physical state Liquid

Odor Pleasant

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

#### Hazards not otherwise classified (HNOC)

- Other Information
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Phosphoric Acid	7664-38-2	10-30	*
Nonylphenol Polyethylene Glycol Ether	127087-87-0	1-5	*
Didecyl Dimethyl Ammonium Chloride	7173-51-5	1-5	*
Quaternary Ammonium Compounds Benzyl-C12-C16-alkyldimethyl, Chlorides	68424-85-1	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures	
General advice	Immediate medical attention is required.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Call a physician immediately.
Inhalation	Move victim to fresh air. Get medical attention for any breathing difficulty.
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology
	Information.

#### Indication of any immediate medical attention and special treatment needed

Note to physiciansProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br/>Possible perforation of stomach or esophagus should be investigated. Do not give<br/>chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood<br/>pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat<br/>symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
Incompatible materials	Strong bases. Strong reducing agents. Metals. Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

.

# Control parameters

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
	-	(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-
Hydrochloric Acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other InformationVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962<br/>(11th Cir., 1992).

# Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, se	uch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Pink Pink Pleasant No Information available	
<u>Property</u> pH Specific Gravity	<u>Values</u> 1.5 - 2.0 1.092	Remarks • Method

Viscosity	< 25 cP @ 25°C
Melting point/freezing point	No Information available
Flash point	None
Boiling point / boiling range	100 °C / 212 ° F Degrees
Evaporation rate	No Information available
Flammability (solid, gas)	No data available
Flammability Limits in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature Decomposition temperature	No Information available No Information available No Information available No Information available Complete No Information available No Information available No Information available
Other Information	
Density Lbs/Gal	9.090
VOC Content (%)	0.42195

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# Conditions to avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Strong bases. Strong reducing agents. Metals. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.
Inhalation	Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.
Eye contact	Avoid contact with eyes. Corrosive. Causes severe eye damage.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	Do not taste or swallow. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric Acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat)1 h
7664-38-2			
Nonylphenol Polyethylene Glycol	= 1310 mg/kg (Rat)	= 1780 µL/kg (Rabbit)	-
Ether	= 2590 mg/kg (Rat)	,	
127087-87-0	2 <b>0</b> ( )		

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown t a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been				1		
1713-51-5		= 84 mg/kg (Rat)	-	-		
Duatemary Ammonium Compounds BerazyC12-C16-alkyldimethyl, Chlorides     = 426 mg/kg (Rat) = 260 mg/kg (Rat)     = 2300 mg/kg (Rat)bit = 1420 mg/kg (Rat)       Information on toxicological effects     = 240 mg/kg (Rat)     = 1420 mg/kg (Rat)       Symptoms     No Information available.       Delayed and immediate effects as well as chronic effects from short and long-term exposure       Corrosivity     Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.       Sensitization     No Information available.       Germ cell mutagenicity     No Information available.       Carcinogenicity     The table below indicates whether each agency has listed any ingredient as a carcinoge Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.       ACCIH (American Conference of Governmental Industrial Hygienists) A3 - Amiel Carroingen MARC (International Agency for Research on Cancer) Group 1 - Carroingen for Reproductive toxicity     No Information available.       STOT - repeated exposure     No Information available.     Chronic toxicity       STOT - repeated exposure Chronic toxicity     No Information available.     Chronic i coxicit on on the teeth followed by necrosis. Bronchal irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a reproductive toxicit portice probale irrik atto in ony when consumed as alcoholic beverage. <tr< td=""><td></td><td></td><td></td><td></td></tr<>						
Berez/C12-C16-alkyldimethyl, Chlorides   = 850 mg/kg (Rat)   = 1420 mg/kg (Rat)     Information on toxicological effects_ 68424-85-1		400 m m // m / D at )	0200 maller (Dabbit)			
Chlorides   = 240 mg/kg (Rat)     Information on toxicological effects     Symptoms   No Information available.     Delayed and immediate effects as well as chronic effects from short and long-term exposure     Corrosivity   Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.     Sensitization   No Information available.     Germ cell mutagenicity   No Information available.     Carcinogenicity   No Information available.     Carcinogenicity   No Information available.     ACGIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogen     A3 - Animal Carcinogen   No Information available.     NTP (National Toxicology) Program)   Known Carcinogen     Known Carcinogen   No Information available.     STOT - single exposure   No Information available.     STOT - repeated exposure   No Information available.     STOT - repeated exposure   No Information available.     STOT - repeated exposure   No Information available.     Avid repeated exposure   No Information available.     STOT - repeated exposure   No Information available.     Avid repeated exposure   No Information available.     Avid repeate				-		
68424-85-1   Information on toxicological effects     Symptoms   No Information available.     Delayed and immediate effects as well as chronic effects from short and long-term exposure   Corrosivity     Corrosivity   Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.     Sensitization   No Information available.     Gern cell mutagenicity   No Information available.     Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinoge Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogen     MARC (International Agency for Research on Cancer)   Group 1 - Carcinogenic to Humans     NTP (National Toxicology Program)   No Information available.     Norown - Known Carcinogen   No Information available.     STOT - repeated exposure   No Information available.     STOT - repeated exposure   No Information available.     STOT - repeated exposure   No Information available.     Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrois.     Bronchia Irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a reproductive to			= 1420 mg/kg ( Rat )			
Information on toxicological effects     Symptoms   No Information available.     Delayed and immediate effects as well as chronic effects from short and long-term exposure		= 240  mg/kg (Rat)				
Symptoms   No Information available.     Delayed and immediate effects as well as chronic effects from short and long-term exposure     Corrosivity   Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.     Sensitization   No Information available.     Germ cell mutagenicity   No Information available.     Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinoge Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogen     IARC (International Agency for Research on Cancer)   Group 1 - Carcinogenic to Humans     NTP (National Toxicology Program)   No Information available.     Stroff - single exposure   No Information available.     Stoff - single exposure   No Information available.     Chronic toxicity   No Information available.     Chronic toxicity   No Informat	00424-03-1					
Delayed and immediate effects as well as chronic effects from short and long-term exposure	Information on toxicological effect	<u>:ts</u>				
Corrosivity   Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.     Sensitization   No Information available.     Germ cell mutagenicity   No Information available.     Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinoge.     Extinct   Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     A2GIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogen     MARC (International Agency for Research on Cancer)   Group 1 - Carcinogenic to Humans     NTP (National Toxicology Program)   Known - Known Carcinogen     NTP (National Toxicology Program)   No Information available.     STOT - single exposure   No Information available.     STOT - single exposure   No Information available.     STOT - single exposure   No Information available.     Chronic toxicity   Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.     Avoid repeated exposure.   No Information available.     Target organ effects   EYES, Respiratory system, Skin. <	Symptoms	No Information available.				
Sensitization   eyes. No Information available. No Information available.     Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinoge. Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen   ACGIT (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present     Reproductive toxicity   No Information available. No Information available.     STOT - single exposure   No Information available. No Information available.     STOT - repeated exposure   No Information available. No Information available.     Chronic toxicity   No Information available. No Information available.     Target organ effects   Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a reproductive toxin only when consumed as an alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects.     Aspiration hazard   EYES, Respiratory system, Skin. No Information available.     Numerical measures of toxicity - Product Information Unknown Acute Toxicity   0% of the mixture consists of ingredient(s) of unknown toxicity	Delayed and immediate effects as	s well as chronic effects from	m short and long-term exposur	<u>e_</u>		
SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinoge Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - PresentReproductive toxicityNo Information available.STOT - single exposureNo Information available.Chronic toxicityNo Information available.STOT - repeated exposure Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a reproductive toxic only when consumed as alcoholic beverade.Acide agency and effects Aspiration hazardEYES, Respiratory system, Skin.Aspiration hazardNo Information available.Numerical measures of toxicity - Product Information Vo% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculated based on chapter 3.1 of the GHS document .	Corrosivity		corrosive and destructive to tissu	e. Risk of serious damage to		
Germ cell mutagenicity   No Information available.     Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogenic to Humans     NTP (National Toxicology Program)   Known - Known Carcinogen     Known - Known Carcinogen   No Information available.     OSHA (Occupational Safety and Health Administration of the US Department of Labor)   N - Present     Reproductive toxicity   No Information available.     STOT - repeated exposure   No Information available.     Chronic toxicity   Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial Irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a repeated exposure.     Araget organ effects   EYES, Respiratory system, Skin.     Aspiration hazard   No Information     Numerical measures of toxicity - Product Information   0% of the mixture consists of ingredien	Sensitization	<b>,</b>				
Carcinogenicity   The table below indicates whether each agency has listed any ingredient as a carcinogene than has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists)   A3 - Animal Carcinogen     A3 - Animal Carcinogen   Industrial Hygienists)     Known - Known Carcinogen   No Information of the US Department of Labor)     X - Present   No Information available.     STOT - single exposure   No Information available.     Chronic toxicity   No Information available.     Chronic toxicity   No Information available.     Chronic toxicity   No Information available.     Target organ effects   EYES, Respiratory system, Skin.     Aspiration hazard   No Information     Numerical measures of toxicity - Product Information   O% of the mixture consists of ingredient(s) of unknown toxicity     The following values are c						
Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage.     ACGIH (American Conference of Governmental Industrial Hygienists)     A3 - Animal Carcinogen     IARC (International Agency for Research on Cancer)     Group 1 - Carcinogenic to Humans     NTP (National Toxicology Program)     Known - Known Carcinogen     OSHA (Occupational Safety and Health Administration of the US Department of Labor)     X - Present     Reproductive toxicity   No Information available.     STOT - single exposure   No Information available.     Chronic toxicity   Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.     Target organ effects   EYES, Respiratory system, Skin.     Aspiration hazard   No Information     Numerical measures of toxicity   -Product Information     Unknown Acute Toxicity   0% of the mixture consists of ingredient(s) of unknown toxicity  <			whether each agency has listed	any ingredient as a carcinogen		
alcoholic beverage. ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present Reproductive toxicity No Information available. STOT - single exposure No Information available. STOT - repeated exposure No Information available. STOT - repeated exposure No Information available. STOT - repeated exposure No Information available. Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown t a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Target organ effects EYES, Respiratory system, Skin. Aspiration hazard No Information Numerical measures of toxicity - Product Information Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .	Carcinogenicity					
ACGIH (American Conference of Governmental Industrial Hygienists)     A3 - Animal Carcinogen     IARC (International Agency for Research on Cancer)     Group 1 - Carcinogenic to Humans     NTP (National Toxicology Program)     Known - Known Carcinogen     OSHA (Occupational Safety and Health Administration of the US Department of Labor)     X - Present     Reproductive toxicity   No Information available.     STOT - single exposure   No Information available.     STOT - repeated exposure   No Information available.     Chronic toxicity   Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation on with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to a reproductive toxin only when consumed as alcoholic beverae. Avoid repeated exposure. Possible risk of irreversible effects.     Target organ effects   EYES, Respiratory system, Skin.     Aspiration hazard   No Information available.     Numerical measures of toxicity - Product Information   Void the mixture consists of ingredient(s) of unknown toxicity     The following values are calculated based on chapter 3.1 of the GHS document .   .			to be carcinogenic in long-term si	dules only when consumed as		
STOT - repeated exposure Chronic toxicityNo Information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown t a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects. EYES, Respiratory system, Skin. No Information available.Numerical measures of toxicity- Product Information 0% of the mixture consists of ingredient(s) of unknown toxicityUnknown Acute Toxicity0% of the mixture consists of ingredient(s) of unknown toxicity	A3 - Animal Carcinogen IARC (International Agency for Re Group 1 - Carcinogenic to Humans NTP (National Toxicology Progra Known - Known Carcinogen OSHA (Occupational Safety and B X - Present Reproductive toxicity	esearch on Cancer) m) Health Administration of the US No Information available.				
Chronic toxicityChronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown t a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects. EYES, Respiratory system, Skin. No Information available.Numerical measures of toxicityProduct Information 0% of the mixture consists of ingredient(s) of unknown toxicityUnknown Acute Toxicity0% of the mixture consists of ingredient(s) of unknown toxicity		No Information available.				
necrosis.Bronchial irritation with chronic cough and frequent attacks of pneumonia are common.Gastrointestinal disturbances may also be seen.Ethanol has been shown t a reproductive toxin only when consumed as an alcoholic beverage.Target organ effects Aspiration hazardEYES, Respiratory system, Skin. No Information available.Numerical measures of toxicity- Product Information 0% of the mixture consists of ingredient(s) of unknown toxicityUnknown Acute Toxicity0% of the mixture consists of ingredient(s) of unknown toxicity	STOT - repeated exposure					
Unknown Acute Toxicity   0% of the mixture consists of ingredient(s) of unknown toxicity     The following values are calculated based on chapter 3.1 of the GHS document   .	Target organ effects	oxicityChronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects.gan effectsEYES, Respiratory system, Skin.				
The following values are calculated based on chapter 3.1 of the GHS document	Numerical measures of toxicity - Product Information					
	Unknown Acute Toxicity	0% of the mixture consists	s of ingredient(s) of unknown toxi	city		
ATEmix (oral) 7.934.10			the GHS document			
ATEmix (dermal) 14,709.26	ATEmix (dermal)	14,709.26				
12. ECOLOGICAL INFORMATION						

# **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nonylphenol Polyethylene Glycol	-	5:96 h Fish mg/L LC50	-
Ether			
127087-87-0			
Didecyl Dimethyl Ammonium	-	0.97: 96 h Danio rerio mg/L LC50	-
Chloride		semi-static	
7173-51-5			
Quaternary Ammonium Compounds	-	0.223 - 0.46: 96 h Lepomis	-
Benzyl-C12-C16-alkyldimethyl,		macrochirus mg/L LC50 static	
Chlorides		0.823 - 1.61: 96 h Oncorhynchus	
68424-85-1		mykiss mg/L LC50 static	
		1.3: 96 h Poecilia reticulata mg/L	

		LC50 semi-static	
		2.4: 96 h Oryzias latipes mg/L LC50	
		semi-static	
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static	mg/L LC50
		13400 - 15100: 96 h Pimephales	2: 48 h Daphnia magna mg/L EC50
		promelas mg/L LC50 flow-through	Static
		100: 96 h Pimephales promelas	
		mg/L LC50 static	
Citric Acid	-	1516: 96 h Lepomis macrochirus	-
77-92-9		mg/L LC50	

# Persistence and degradability

No Information available.

#### **Bioaccumulation**

DOT

No Information available.

Other adverse effects	No Information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Phosphoric Acid 7664-38-2	Corrosive

# 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

UN/ID No. Proper shipping name Hazard Class Packing Group Special Provisions	UN1760 Corrosive liquids, n.o.s. 8 III IB3, T7, TP1, TP28 UN 1760 Corresive liquide, p.o.s. (Decemberic Acid), 8, III
Description Emergency Response Guide Number TDG	UN 1760, Corrosive liquids, n.o.s. (Phosphoric Acid), 8, III 154
UN/ID No. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquids, n.o.s. 8 III UN1760, Corrosive liquids, n.o.s. (contains Phosphoric Acid), 8, III

# **15. REGULATORY INFORMATION**

International Inventories

TSCA	Complies
DSL/NDSL	Complies

# Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nonylphenol Polyethylene Glycol Ether - 127087-87-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

# US State Regulations

# California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid 7664-38-2	Х	X	X
Ethanol 64-17-5	Х	X	Х
Hydrochloric Acid 7647-01-0	Х	X	X

U.S. EPA Label Information

#### EPA Pesticide Registration Number Not Applicable

NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection C
Issue Date Revision Date Revision Note No Information available Disclaimer	26-Jan-20 26-Jan-20	=:		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet