

SAFETY DATA SHEET

Revision Date 26-Jan-2021 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name UNO

Other means of identification

Product Code EZ018-480 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road, Countryside, IL 60525

(708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Harmful in contact with skin Causes skin irritation Causes serious eye damage



Appearance Clear Yellow Physical state Liquid Odor Lemon

Precautionary Statements - Prevention

Do not get in eyes, on skin, or on clothing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity 2.30275% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Nonylphenol Polyethylene Glycol Ether	127087-87-0	1-5	*
Sodium Carbonate	497-19-8	1-5	*
Alkyl dimethyl ethyl benzyl ammonium chloride	68956-79-6	1-5	*
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Have the product container or label with you when calling a poison control center or doctor,

or going for treatment.

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

EZ018-480 UNO Revision Date 26-Jan-2021

Indication of any immediate medical attention and special treatment needed

Note to physicians Probable mucosal damage may contraindictate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautionsDo not discharge effluent containing this product into lakes, streams, ponds, estuaries,

oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems withour previously notifying the local sewage treatment plant authority.

For guidance, contact your State water board or Regional office of the EPA.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store only in original container. Keep this product under locked storage sufficient to make it

inaccessible to children or persons unfamiliar with its proper use.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm

64-17-5		TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m³ Ceiling: 2 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard

exists.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Do not eat, drink or smoke when using this product. Keep away from food, drink and animal

feeding stuffs. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Wash face, hands and any exposed skin thoroughly after handling. Handle in accordance with good industrial

hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Lemon
Liquid
Clear Yellow
Yellow
Lemon

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available

 pH
 10.0 - 12.0

 Specific Gravity
 1.04

Viscosity < 25 cP @ 25°C

Melting point/freezing point No Information available

Flash point Above 200°F

Boiling point / boiling range 100 °C / 212 Degrees **Evaporation rate** No Information available

Flammability (solid, gas)
Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available
No Information available
No Information available

Water solubility Complete

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available
No Information available

Other Information

Density Lbs/Gal 8.70 **VOC Content (%)** 0.5625

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

severe irritation or burns to the respiratory tract.

Eye contact Avoid contact with eyes. Corrosive. Causes serious eye damage.

Skin Contact Avoid contact with skin. Causes skin irritation.

Ingestion Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenol Polyethylene Glycol Ether 127087-87-0	= 1310 mg/kg(Rat) = 2590 mg/kg(Rat)	= 1780 μL/kg (Rabbit)	-
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride 68391-01-5	= 500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available.Germ cell mutagenicityNo Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

consumed as alcoholic beverage.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2.30275% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 14,345.00

 ATEmix (dermal)
 27,317.00

 ATEmix (inhalation-dust/mist)
 38.33

12. ECOLOGICAL INFORMATION

Ecotoxicity

2.30275% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nonylphenol Polyethylene Glycol Ether 127087-87-0	- ·	5:96 h Fish mg/L LC50	-
Sodium Carbonate 497-19-8	-	310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Alkyl dimethyl benzyl ammonium chloride 68391-01-5	-	0.223 - 0.46: 96 h Lepomis macrochirus mg/L LC50 static 0.823 - 1.61: 96 h Oncorhynchus mykiss mg/L LC50 static 1.3: 96 h Poecilia reticulata mg/L LC50 semi-static 2.4: 96 h Oryzias latipes mg/L LC50 semi-static	-
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Trisodium nitrilotriacetate 5064-31-3	-	175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 560 - 1000: 96 h Oryzias latipes mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static 93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 114: 96 h Pimephales promelas mg/L LC50	560 - 1000: 48 h Daphnia magna mg/L LC50

		252: 96 h Lepomis macrochirus	
		mg/L LC50	
		470: 96 h Pimephales promelas	
		mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

This pesticide is toxic to fish and aquatic invertebrates. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray

> mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for

guidance.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Carbonate	Corrosive
497-19-8	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

UN/ID No.

Proper shipping name Disinfectants, liquid, corrosive, n.o.s.

Hazard Class Packing Group Ш

Special Provisions B3, T4, TP1

Description UN1903, Disinfectants, liquid, corrosive, n.o.s. (contains Quaternary Ammonium

Compound), 8, III

Emergency Response Guide

Number

153

TDG

UN/ID No. UN1903

Proper shipping name Disinfectant, liquid, corrosive, n.o.s.

Hazard Class Packing Group

Description UN1903, Disinfectant, liquid, corrosive, n.o.s. (contains Quartermary Ammonium

Compound), 8, III

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nonylphenol Polyethylene Glycol Ether - 127087-87-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	X	X	X
64-17-5			
Sodium Hydroxide	X	X	X
1310-73-2			
Trisodium nitrilotriacetate	-	X	-
5064-31-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection B

Issue Date26-Jan-2021Revision Date26-Jan-2021

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet