

# SAFETY DATA SHEET

Revision Date 04-Jan-2021

Version 2

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Product Name

Zing® Original Formula Boat Hull Cleaner

Other means of identification Product Code Synonyms

N-074 None

 Details of the supplier of the safety data sheet

 Company Name
 Nyco Products Company

 5332 Dansher Road, Countryside, IL 60525

 (708) 579-8100

 nycoproducts.com

 Emergency telephone number

 Emergency Telephone

 Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

**Emergency Overview** 

## Danger

Hazard statements Harmful if swallowed Toxic if inhaled Causes severe skin burns and eye damage May cause respiratory irritation



Physical state Liquid

Odor Acidic

## **Precautionary Statements - Prevention**

Appearance Milky White

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

#### Hazards not otherwise classified (HNOC) Other Information

· Harmful to aquatic life

Unknown Acute Toxicity

0.12501% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Hydrochloric Acid	7647-01-0	10-30	*
Alcohol Ethoxylate	68131-39-5	.1-1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures

**General advice** 

Immediate medical attention is required.

**Skin Contact** 

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.

Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
Inhalation	Remove to fresh air. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Get medical attention for any breathing difficulty.
Ingestion	Clean mouth with water. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	

**Environmental precautions** Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container.
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## Exposure Guidelines

**Other Information** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Milky White White Acidic No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability (solid, gas) Flammability Limits in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature Decomposition temperature	Values<11.10< 25 cP @ 25°CNo Information availableNone93 °C / 200 ° F DegreesNo Information availableNo data availableNo Information available	<u>Remarks • Method</u>
Density Lbs/Gal VOC Content (%)	9.16 0.02	

## **10. STABILITY AND REACTIVITY**

## **Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

**Product Information** 

The primary effects and toxicity of this material are due to it corrosive nature.

Inhalation Avoid breathing vapors or mists. Toxic by inhalation. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract. May cause drowsiness or dizziness.

Eye contact       Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including bindness.         Skin Contact       Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns to the mucous membranes of the mouth, traches, esophagus and stomach.         Ingestion       Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, traches, esophagus and stomach.         Exercised Atoms       Oral LD50       Inhalation LC50         Information Acid       = 700 mg/kg (Rat)       > 5010 mg/kg (Rabbit)       = 1.80 mg/L (Rat) 1 h         Acided Ethosylate       = 1600 mg/kg (Rat)       = 2500 mg/kg (Rabbit)       -       -         Information on toxicological effects.       Symptoms       No Information available.         Delayed and immediate effects as well as chronic effects from short and long-term exposure.       Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.         Sensitization       No Information available.       No Information available.         Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       Acid H       IARC       NT       X         Marco data aburbane as aburbane corrosive and destructive to table.       Sensitization       No Information availabl					
Ingestion       Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.         Chemical Name       Oral LO50       Dermal LO50       Inhalation LC50         Addression Coded       = 700 mg/kg (Rat)       > 5010 mg/kg (Rabit)       = 1.68 mg/L (Rat) 1 h         Yeldrochlonic Acid       = 1600 mg/kg (Rat)       = 2500 mg/kg (Rabit)       = 1.68 mg/L (Rat) 1 h         Information on toxicological effects	Eye contact		t with eyes. Corrosive to th	e eyes and may cause	severe damage including
membranes of the mouth, trachea, esophagus and stomach.           Chemical Name         Oral D50         Dermal L050         Inhalation L050           Addrok fokid         = 700 mg/kg (Rat)         > 5010 mg/kg (Rabbit)         = 1.68 mg/L (Rat) 1 h           Nachol Ethoxylate         = 1600 mg/kg (Rat)         = 2500 mg/kg (Rabbit)         -           Information on toxicological effects         -         -         -           Symptoms         No Information available.         -         -           Delayed and immediate effects as well as chronic effects from short and long-term exposure         -         -           Corrosivity         Causes burns, Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.         -           Sensitization         No Information available.         -         -           Carcinogenicity         No Information available.         -         -           Carcinogenicity         Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         -         X           Chemical Name         ACGIH         IARC         NTP         OSHA           Hydrocholic Acid         -         Group 3         -         X           F647-01-0         Informati	Skin Contact	Avoid contac	t with skin. Corrosive. Con	tact with skin may cause	e severe irritation and burns.
hydrocholinic Acid       = 700 mg/kg (Rat)       > 5010 mg/kg (Rabbit)       = 1.68 mg/L (Rat) 1 h         Ydar-0.1-0       = 1600 mg/kg (Rat)       = 2500 mg/kg (Rabbit)       -         No Information on toxicological effects	Ingestion				ns to the mucous
Feat-01-0       Construction       Construction         Alcohol Ethovylate 88131-39-5       = 1600 mg/kg (Rat)       = 2500 mg/kg (Rabbit)         Information on toxicological effects_ Symptoms       No Information available.         Delayed and immediate effects as well as chronic effects from short and long-term exposure         Corrosivity       Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.         Sensitization       No Information available.         Germ cell mutagenicity       No Information available.         Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACGIH       IARC       NTP         Viditochioric Acid       -       Group 3       -         7647-01-0       IARC (International Agency for Research on Cancer) Group 3-Mot classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present       No Information available.         STOT - repeated exposure No Information available.       No Information available.       Noil forquital disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Stor - repeated exposure No Information available.       No Information available.       Noil frequent attacks of pneumonia are common. Gastrointestinal	Chemical Name	Oral LDS	0 De	rmal LD50	Inhalation LC50
Alcohol Ethoxylate       = 1600 mg/kg (Rat)       = 2500 mg/kg (Rabbit)       -         Information on toxicological effects		= 700 mg/kg	(Rat) > 5010 n	ng/kg (Rabbit)	= 1.68 mg/L (Rat)1 h
Symptoms       No Information available.         Delayed and immediate effects as well as chronic effects from short and long-term exposure		= 1600 mg/kg	(Rat) = 2500 n	ng/kg (Rabbit)	-
Delayed and immediate effects as well as chronic effects from short and long-term exposure	Information on toxicologica	effects			
Corrosivity       Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.         Sensitization       No Information available.         Germ cell mutagenicity       No Information available.         Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACGIH       IARC       NTP       OSHA         Hydrochloric Acid       -       Group 3       -       X         7647-01-0       -       Group 3       -       X         IARC (International Agency for Research on Cancer)       Group 3       -       X         Group 3       -       X       X         7647-01-0       -       Group 3       -       -         7647-01-0       -       Group 3       -       -         Reproductive toxicity       No Information available.       -       -	Symptoms	No Information	n available.		
Sensitization       No Information available.         Carcinogenicity       No Information available.         Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACGIH       IARC       NTP       OSHA         Hydrocholic Acid       -       Group 3       -       X         TARC (International Agency for Research on Cancer)       Group 3 -Not classifiable as a human carcinogen       OSHA (Occupational Safety and Health Administration of the US Department of Labor)       X         X - Present       Reproductive toxicity       No Information available.       No Information available.         STOT - single exposure       No Information available.       No Information available.       No Information available.         STOT - repeated exposure       No Information available.       No Information available.       No Information available.         STOT - repeated exposure       No Information available.       No Information available.       No Information available.         Target organ effects       EYES, Respiratory system, Skin.       Aspiration hazard       No Information available.         Numerical measures of toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are c	Delayed and immediate effe	cts as well as chronic	effects from short and	ong-term exposure	
Sensitization       No Information available.         Germ cell mutagenicity       No Information available.         Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACCIH       IARC       NTP       OSHA         Hydrochoric Acid       -       Group 3       -       X         7647-01-0       -       Group 3       -       X         IARC (International Agency for Research on Cancer)       Group 3       -       X         Group 3 - Not classifiable as a human carcinogen       OSHA (Occupational Safety and Health Administration of the US Department of Labor)       X - Present         Reproductive toxicity       No Information available.       No Information available.       No Information available.         STOT - single exposure       No Information available.       No Information available.       No Information available.         Chronic toxicity       No Information available.       No Information available.       No Information available.         Target organ effects       EYES, Respiratory system, Skin.       No Information available.       No Information available.         Numerical measures of toxicity       - Product Information       Unknown Acute Toxicity       0.12501% of	Corrosivity		s. Extremely corrosive and	destructive to tissue. R	isk of serious damage to
Carcinogenicity       Ethanol has been shown to be carcinogenic in long-term studies only when consumed a alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACGIH       IARC       NTP       OSHA         Hydrochloric Acid       -       Group 3       -       X         7647-01-0       IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen       OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present       No Information available.         Reproductive toxicity       No Information available.       STOT - single exposure       No Information available.         STOT - repeated exposure       No Information available.       Stornic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (inhalation-gas)         ATEmix (inhalation-gas)       2.,343.4163         ATEmix (inhalation-dust/mist	Sensitization		n available.		
alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen.         Chemical Name       ACGIH       IARC       NTP       OSHA         Hydrochloric Acid       -       Group 3       -       X         T647-01-0       IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen       -       X         OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present       No Information available.       STOT - repeated exposure       No Information available.         STOT - repeated exposure       No Information available.       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information         Numerical measures of toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document       .         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Germ cell mutagenicity	No Information	n available.		
Ingredient as a carcinogen.           Chemical Name         ACGIH         IARC         NTP         OSHA           Hydrochloric Acid         -         Group 3         -         X           7647-01-0         Group 3         -         X         X           TARC (International Agency for Research on Cancer) Group 3         -         X         X           Group 3         -         X         X         X           7647-01-0         Status         X         X         X           Target organ effects         A prosume         No Information available.         X         X           STOT - single exposure         No Information available.         No Information available.         X         Chronic toxicity         No Information available.           STOT - repeated exposure         No Information available.         Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.         Possible risk of irreversible effects.           Target organ effects         EYES, Respiratory system, Skin.         No Information available.           Numerical measures of toxicity         O.12501% of the mixture consists of ingredient(s) of unknown toxicity           The following valu	Carcinogenicity				
Chemical Name         ACGIH         IARC         NTP         OSHA           Hydrochloric Acid         -         Group 3         -         X           7647-01-0         IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present         X           Reproductive toxicity         No Information available.         STOT - single exposure         No Information available.           STOT - repeated exposure         No Information available.         Chronic toxicity         Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.           Target organ effects         EYES, Respiratory system, Skin. Aspiration hazard         No Information uniformation available.           Numerical measures of toxicity         0.12501% of the mixture consists of ingredient(s) of unknown toxicity           The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral)         990.10 47Emix (inhalation-gas)           ATEmix (inhalation-gas)         2,343.4163 2,343.4163 ATEmix (inhalation-dust/mist)         2.084			0	licates whether each ag	ency has listed any
Hydrochloric Acid       -       Group 3       -       X         7647701-0       IARC (International Agency for Research on Cancer)       Group 3 -Not classifiable as a human carcinogen       OSHA (Occupational Safety and Health Administration of the US Department of Labor)       X - Present         Reproductive toxicity       No Information available.       STOT - single exposure       No Information available.         STOT - single exposure       No Information available.       No Information available.       Stot - corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information         Numerical measures of toxicity - Product Information       Unknown Acute Toxicity         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (inhalation-gas)         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-gas)       2,343.4163			¥		
7647-01-0       IARC (International Agency for Research on Cancer)         Group 3 -Not classifiable as a human carcinogen       OSHA (Occupational Safety and Health Administration of the US Department of Labor)         X - Present       No Information available.         Reproductive toxicity       No Information available.         STOT - single exposure       No Information available.         STOT - repeated exposure       No Information available.         Chronic toxicity       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information         Numerical measures of toxicity - Product Information       Unknown Acute Toxicity         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document       ATEmix (dermal)         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-gas)       2,343.4163		ACGIH		NTP	
IARC (International Agency for Research on Cancer)         Group 3 -Not classifiable as a human carcinogen         OSHA (Occupational Safety and Health Administration of the US Department of Labor)         X - Present         Reproductive toxicity       No Information available.         STOT - single exposure       No Information available.         STOT - repeated exposure       No Information available.         Chronic toxicity       No Information available.         Chronic toxicity       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity - Product Information_         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (oral)         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-gas)       2,343.4163		-	Gloup 5	-	^
STOT - single exposure       No Information available.         STOT - repeated exposure       No Information available.         Chronic toxicity       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (oral)         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Group 3 -Not classifiable as a OSHA (Occupational Safety	a human carcinogen		f Labor)	
STOT - repeated exposure Chronic toxicity       No Information available.         Chronic toxicity       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin. No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral)       990.10 990.10 ATEmix (inhalation-gas)         ATEmix (inhalation-gas)       2.343.4163 2.084					
Chronic toxicity       Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin. No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document       ATEmix (dermal)         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084					
necrosis.       Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.         Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (oral)         990.10       ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084					
common.       Gastrointestinal disturbances may also be seen. Avoid repeated exposure.         Possible risk of irreversible effects.       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (oral)         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Chronic toxicity				
Target organ effects       EYES, Respiratory system, Skin.         Aspiration hazard       No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document       4TEmix (oral)         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084					
Aspiration hazard       No Information available.         Numerical measures of toxicity       Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       ATEmix (oral)         ATEmix (oral)       990.10         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084					
Aspiration hazard       No Information available.         Numerical measures of toxicity       - Product Information         Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       .         ATEmix (oral)       990.10         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Target organ effects	EYES, Respi	ratory system, Skin.		
Unknown Acute Toxicity       0.12501% of the mixture consists of ingredient(s) of unknown toxicity         The following values are calculated based on chapter 3.1 of the GHS document .       990.10         ATEmix (oral)       990.10         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Aspiration hazard	No Information	on available.		
The following values are calculated based on chapter 3.1 of the GHS document .         ATEmix (oral)       990.10         ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	Numerical measures of toxic	city - Product Inform	ation		
ATEmix (oral)         990.10           ATEmix (dermal)         20,863.10           ATEmix (inhalation-gas)         2,343.4163           ATEmix (inhalation-dust/mist)         2.084	Unknown Acute Toxicity	0.12501% of	the mixture consists of ing	redient(s) of unknown to	oxicity
ATEmix (dermal)       20,863.10         ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084	-		apter 3.1 of the GHS doc	ument .	
ATEmix (inhalation-gas)       2,343.4163         ATEmix (inhalation-dust/mist)       2.084					
ATEmix (inhalation-dust/mist) 2.084		•			
		12 EC		ΔΤΙΟΝ	
		12. EU		ATION	

## **Ecotoxicity**

0.12501% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Lauramine Oxide	-	134: 96 h Danio rerio mg/L LC50	-
1643-20-5		semi-static	

Persistence and degradability No Information available.

## **Bioaccumulation**

No Information available.

Other adverse effects	No Information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT UN/ID No. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1760 Corrosive liquids, n.o.s. 8 II B2, IB2, T11, TP2, TP27 UN1760, Corrosive liquids, n.o.s. (contains Hydrochloric Acid), 8, II 154
<u>TDG</u> UN/ID No. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquids, n.o.s. 8 II UN1760, Corrosive liquids, n.o.s. (Contains Hydrochloric Acid), 8, II

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Hydrochloric Acid - 7647-01-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid 7647-01-0	5000 lb	-	-	Х

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrochloric Acid	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

## US State Regulations

### California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric Acid	Х	Х	Х
7647-01-0			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health hazards3Health hazards3	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal protection C
Issue Date Revision Date Revision Note No Information available	04-Jan-20 04-Jan-20	— -		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet