

# SAFETY DATA SHEET

Revision Date 11-Oct-2021 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Chloro-Clean 305

Other means of identification

Product Code NL305500 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

#### **Emergency Overview**

# **Danger**

#### **Hazard statements**

May be harmful if swallowed Causes severe skin burns and eye damage



Appearance Clear Physical state Liquid Odor Mild Chlorine Bleach

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

- · Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium Hydroxide	1310-58-3	7-13	*
Tetrapotassium Pyrophosphate	7320-34-5	1-5	*
Sodium Hypochlorite	7681-52-9	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### First aid measures

General advice Immediate medical attention is required.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For

severe burns, immediate medical attention is required.

Eye contact Do not rub affected area. Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Keep eye wide open while rinsing.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Call a physician or poison control center immediately.

Ingestion Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Call a physician or poison control center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Dike far ahead of liquid spill for later disposal. Prevent product from entering

drains. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. After cleaning, flush away

traces with water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers.

Incompatible materials Strong acids. Aluminum. Strong reducing agents. Incompatible with strong acids and bases.

Incompatible with oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide Ceiling: 2 mg/m <sup>3</sup>		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
1310-58-3			
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Tetrasodium Pyrophosphate	-	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
7722-88-5			_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear
Color Colorless

Odor Mild Chlorine Bleach
Odor threshold No Information available

Property Values Remarks • Method

pH 13.0 - 13.5 Specific Gravity 1.17

Viscosity <25 cP @ 25°C

Melting point/freezing point No Information available

Flash point None
Boiling point / boiling range 210 °F

\_\_\_\_

**Evaporation rate**Flammability (solid, gas)
No Information available
No data available

Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

#### Other Information

Density Lbs/Gal 9.75

VOC Content (%) Not Applicable

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Strong acids. Aluminum. Strong reducing agents. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** The primary effects and toxicity of this material are due to it corrosive nature.

**Inhalation** Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

severe irritation or burns to the respiratory tract. May cause sensitization by inhalation.

**Eye contact** Avoid contact with eyes. Corrosive. Causes severe eye damage.

**Skin Contact** Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.

May cause sensitization by skin contact.

Ingestion May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide	= 284 mg/kg (Rat)	-	-
1310-58-3			
Tetrapotassium Pyrophosphate = 2980 mg/kg ( Rat )		-	-
7320-34-5			
Sodium Hypochlorite	= 8.91 g/kg (Rat)	> 10000 mg/kg (Rabbit)	-
7681-52-9			

#### Information on toxicological effects

**Symptoms** No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

**Sensitization** May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Hypochlorite	-	Group 3	-	-
7681-52-9		-		

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects. EYES, Respiratory system, Skin.

**Target organ effects Aspiration hazard**EYES, Respiratory system, Sk No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 4,120.10

### 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tetrapotassium Pyrophosphate	-	100: 96 h Oncorhynchus mykiss	100: 48 h water flea mg/L EC50
7320-34-5		mg/L LC50	-
Sodium Hypochlorite	-	0.03 - 0.19: 96 h Oncorhynchus	0.033 - 0.044: 48 h Daphnia magna
7681-52-9		mykiss mg/L LC50 semi-static	mg/L EC50 Static
		0.05 - 0.771: 96 h Oncorhynchus	_
		mykiss mg/L LC50 flow-through	
		0.06 - 0.11: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		0.18 - 0.22: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		0.28 - 1: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through	
		0.4 - 0.8: 96 h Lepomis macrochirus	
		mg/L LC50 static	
		4.5 - 7.6: 96 h Pimephales promelas	
		mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
Potassium Hydroxide	0.83
1310-58-3	

No Information available Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Do not reuse container. Contaminated packaging

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status		
Potassium Hydroxide	Toxic		
1310-58-3	Corrosive		

### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

UN/ID No. UN1760

Proper shipping name Corrosive liquids, n.o.s.

**Hazard Class Packing Group** 

**Special Provisions** B2, IB2, T11, TP2, TP27

Description UN1760, Corrosive liquids, n.o.s. (contains Potassium Hydroxide and Sodium

Hypochlorite), 8, II

154

**Emergency Response Guide** 

Number

**TDG** 

UN/ID No. UN1760

Proper shipping name Corrosive liquids, n.o.s.

**Hazard Class Packing Group** 

Description UN1760, Corrosive liquids, n.o.s. (contains Potassium Hydroxide and Sodium

Hypochlorite), 8, II

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** Yes Fire hazard No Sudden release of pressure hazard No Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	Х
Sodium Hypochlorite 7681-52-9	100 lb	-	-	Х

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
Sodium Hypochlorite	100 lb	-	RQ 100 lb final RQ
7681-52-9			RQ 45.4 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium Hydroxide 1310-58-3	X	X	Х
Sodium Hypochlorite 7681-52-9	X	X	Х
Sodium Hydroxide 1310-73-2	X	X	Х
Tetrasodium Pyrophosphate 7722-88-5	X	X	Х
Sodium Trimetaphosphate 7785-84-4	-	X	Х

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
NFPA	Health hazards 3	3 Flammability	0	Instability	0	Physical and Chemical

Properties -HMIS **Health hazards** 3 Flammability 0 Physical hazards 0 Personal protection D

**Issue Date** 11-Oct-2021 **Revision Date** 11-Oct-2021 **Revision Note** 

No Information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**