

# SAFETY DATA SHEET

Issue Date 09-Mar-2021

Revision Date 09-Mar-2021

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Product Name

Qwiks Glass Cleaner Concentrate

Other means of identification Product Code Synonyms

Details of the supplier of the safety	v data sheet
Company Name	Nyco Products Company 5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300

NL900

None

2. HAZARDS IDENTIFICATION

Classification

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 3

Label elements

**Emergency Overview** 

# Warning

Hazard statements Causes mild skin irritation Causes serious eye irritation Flammable liquid and vapor



# Appearance Clear Blue

### Physical state Liquid

Odor Alcohol

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ventilating/lighting/equipment.

# **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

# Hazards not otherwise classified (HNOC)

# Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
2-Propanol	67-63-0	7-13	*
2-butoxyethanol	111-76-2	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURESFirst aid measuresGeneral adviceImmediate medical attention is required. In case of accident or unwellness, seek medical<br/>advice immediately (show directions for use or safety data sheet if possible).Skin ContactWash off immediately with plenty of water.Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.<br/>Consult a physician.InhalationRemove to fresh air.IngestionClean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition.

# Most important symptoms and effects, both acute and delayed

 
 Symptoms
 Any additional important symptoms and effects are described in Section 11: Toxicology Information.

# Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No Information available.

# Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.	

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers.
Incompatible materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

.

Other InformationVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962<br/>(11th Cir., 1992).

# Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear chemical resistant gloves.
Respiratory protection	Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear Blue
Color	Blue
Odor	Alcohol
Odor threshold	No Information available

Property_	Va
pH	10
Specific Gravity	0.9
Viscosity	< 2
Melting point/freezing point	No
Flash point	34
Boiling point / boiling range	< 2
Evaporation rate	No
Flammability (solid, gas)	Nc

# Values 10.0 - 11.5 0.97 < 25 cP @ 25°C No Information available 34 °C 94 °F < 212 ° F No Information available No data available

Remarks • Method

/

Flammability Limits in Air	
Upper flammability limit:	No Information available
Lower flammability limit:	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

Density Lbs/Gal	8.08
VOC Content (%)	14.09

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

# Chemical stability

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to avoid**

Heat, flames and sparks.

# Incompatible materials

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

# **Product Information**

Inhalation	Avoid breathing vapors or mists. Breathing of vapors may cause dizziness and shortness of breath. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. Direct contact may cause serious eye irritation.
Skin Contact	Avoid contact with skin. Maybe harmful if absorbed through skin. Prolonged or repeated contact may dry skin and cause irritation.
Ingestion	Do not taste or swallow. May cause gastro intestinal irritation. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Propanol 67-63-0	= 1870 mg/kg(Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat)4 h
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg(Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h

# Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	MAY CAUS	E SKIN IRRITATION.					
Sensitization	No Information available.						
Germ cell mutagenicity	No Informati	No Information available.					
Carcinogenicity	The table be	The table below indicates whether each agency has listed any ingredient as a carcinogen.					
Chemical Name	ACGIH	GIH IARC NTP OSHA					
2-Propanol	-	Group 3	-	Х			
67-63-0							
2-butoxyethanol	A3	Group 3	-	-			
111-76-2							
	erence of Governmental In	dustrial Hygienists)					
A3 - Animal Carcinogen							
	ency for Research on Cance	er)					
Group 3 -Not classifiable							
	afety and Health Administra	ation of the US Department of	Labor)				
X - Present							
Reproductive toxicity	No Informati						
STOT - single exposure	No Informati						
STOT - repeated exposu	re No Informati	No Information available.					
Chronic toxicity	May cause a	May cause adverse effects on the bone marrow and blood-forming system. May cause					
	adverse live	adverse liver effects.					
Target organ effects	Blood, Centr	Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory					
0 0		system, Skin.					
Aspiration hazard	<b>,</b>	No Information available.					
Numerical measures of t	oxicity - Product Inform	nation					
Unknown Acute Toxicity	city 0% of the mixture consists of ingredient(s) of unknown toxicity						
The following values are	calculated based on ch	anter 3.1 of the GHS docu	ment				
ATEmix (oral)	9.512.00	ulated based on chapter 3.1 of the GHS document .					
	21,229.00	-)					
ATEmix (dermal)	•						
ATEmix (inhalation-d	lust/mist) 70.70						
	40 50						

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Propanol 67-63-0	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L EC50
	subspicatus mg/L EC50	mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50	
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Nonylphenol Polyethylene Glycol Ether 127087-87-0	-	5:96 h Fish mg/L LC50	-
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Trisodium nitrilotriacetate 5064-31-3	-	175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 560 - 1000: 96 h Oryzias latipes mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50	560 - 1000: 48 h Daphnia magna mg/L LC50

560 - 1000: 96 h Poecilia reticulata
mg/L LC50 semi-static
72 - 133: 96 h Oncorhynchus
mykiss mg/L LC50 static
93 - 170: 96 h Pimephales promelas
mg/L LC50 flow-through
114: 96 h Pimephales promelas
ma/L LC50
252: 96 h Lepomis macrochirus
ma/L LC50
470: 96 h Pimephales promelas
mg/L LC50 static

# Persistence and degradability

No Information available.

# **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
2-Propanol 67-63-0	0.05
2-butoxyethanol 111-76-2	0.81

Other adverse effects

No Information available

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanol	Toxic
67-63-0	Ignitable

# **14. TRANSPORT INFORMATION**

According to Exceptions for Class 3 (flammable and combustible liquids), this product maybe reclassed as combustible liquid, see 49CFR173.150(e)(1) and (2).

DOT UN/ID No. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	Not regulated (If shipped in NON BULK packaging by ground transport) UN1993 Flammable liquids, n.o.s. 3 III B1, B52, IB3, T4, TP1, TP29 UN1993, Flammable liquids, n.o.s. (Isopropanol), 3, III 128
TDG UN/ID No. Proper shipping name Hazard Class Packing Group Description	UN1993 Flammable liquid, n.o.s. 3 III UN1993, Flammable liquids, n.o.s. (Isopropanol), 3, III

# **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL

Complies Complies

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	1.0
2-butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

# **California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Propanol 67-63-0	Х	X	X
2-butoxyethanol 111-76-2	Х	X	Х
Sodium Hydroxide 1310-73-2	Х	X	Х
Trisodium nitrilotriacetate 5064-31-3	-	X	-

# U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

<u>NFPA</u>	Health hazards 1	Flammability 3	Instability 0	Physical and Chemical
<u>HMIS</u>	Health hazards 1	Flammability 3	Physical hazards 0	Properties - Personal protection B
Issue Date	09-Mar-20	21		
Revision Date	09-Mar-20	21		
Revision Note				
No Information available				
<u>Disclaimer</u>				
			est of our knowledge, infor	

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**