

# SAFETY DATA SHEET

Issue Date 06-Jul-2023

Revision Date 05-Jul-2023

Version 2

### **1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Product identifier</u> Product Name	UNO
Other means of identification	NII 700
Product Code	NL780
Synonyms	None
Details of the supplier of the safe	
Company Name	Nyco Products C
	5332 Dansher Ro

Nyco Products Company 5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com

### Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

**Classification** 

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

### Label elements

**Emergency Overview** 

## Danger

Hazard statements Harmful if swallowed Harmful in contact with skin Causes skin irritation Causes serious eye damage



#### Appearance Clear Green

#### Physical state Liquid

Odor Mint

### **Precautionary Statements - Prevention**

Do not get in eyes, on skin, or on clothing Wash hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product Wear protective gloves and eye/face protection

### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

### **Precautionary Statements - Storage**

Keep out of reach of children Store in a well-ventilated place. Keep container tightly closed Keep only in original container

### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

### Hazards not otherwise classified (HNOC)

- Other Information Very toxic to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

2.39822 % of the mixture consists of ingredient(s) of unknown toxicity

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Tetrasodium EDTA	64-02-8	1-5	*
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	1-5	*
Alkyl dimethyl ethylbenzyl ammonium chloride	85409-23-0	1-5	*
Sodium Carbonate	497-19-8	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### **4. FIRST AID MEASURES**

#### First aid measures

General advice	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Skin Contact	Wash off immediately with plenty of water. Wash off immediately with plenty of water for at least 15 minutes. Wash off immediately with soap and plenty of water. If skin irritation persists, see a physician.
Eye contact	Immediately flush with plenty of water, including under the eyelids. Remove any contact lenses if present and easy to do. Continue to rinse for a total of 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

5. FIRE-FIGHTING MEASURES		
Note to physicians	Treat symptomatically.	
Indication of any immediate	medical attention and special treatment needed	
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.	
Most important symptoms ar	nd effects, both acute and delayed	
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Inhalation	Remove to fresh air. Get medical attention for any breathing difficulty.	

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective	equipment and emergency procedures
Personal precautions	Ensure adequate ventilation, especially in confined areas.
Environmental precautions	
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.
Methods and material for contain	ment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean contaminated surface thoroughly. After cleaning, flush away traces with water.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, inclu	ding any incompatibilities
Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place.

### Incompatible materials

Anionic surfactants.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm	
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm	
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>	
		(vacated) TWA: 1900 mg/m <sup>3</sup>		
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	
NIOSH IDLH Immediately Dange	erous to Life or Health			
Other Information	Vacated limits revoked by (11th Cir., 1992).	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering contro	ols			
Engineering Controls	Showers, Eyewash stations & Ventilation systems.			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Wear safety glasses with s	Wear safety glasses with side shields (or goggles).		
Skin and body protection		Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	respiratory protection shour required for high airborne	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	Use personal protective equipment as required. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling.			

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Green Green Mint No Information available	
Property	Values	Remarks • Method
pH	11.0-13.0	
Specific Gravity	1.02756	
Viscosity	No Information available Not	
	Applicable	
Melting point/freezing point	No Information available	
Flash point	No Information available	
Boiling point / boiling range		
Evaporation rate	No Information available	
Flammability (solid, gas)	No data available	
Flammability Limits in Air		
Upper flammability limit:	No Information available	
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	

Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

 Density Lbs/Gal
 8.575

 VOC Content (%)
 0.563

### **10. STABILITY AND REACTIVITY**

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

### **Incompatible materials**

Anionic surfactants.

### **Hazardous Decomposition Products**

Oxides of carbon and nitrogen.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.
Inhalation	Avoid breathing vapors or mists. Harmful if inhaled. Inhalation of vapors in high concentration may cause severe irritation or burns to the respiratory tract.
Eye contact	Avoid contact with eyes. Corrosive. Causes serious eye damage.
Skin Contact	Harmful in contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride 68391-01-5	= 500 mg/kg(Rat)	> 2000 mg/kg ( Rabbit )	-
Alkyl dimethyl ethylbenzyl ammonium chloride 85409-23-0	= 250 mg/kg(Rat)	= 3400 mg/kg ( Rabbit )	= 86 mg/L(Rat)4 h
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2300 mg/m³ ( Rat ) 2 h

membranes of the mouth, trachea, esophagus and stomach.

### Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No Information available. No Information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.
ACGIH (American Conference of Go A3 - Animal Carcinogen IARC (International Agency for Rese Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen	vernmental Industrial Hygienists)
0	alth Administration of the US Department of Labor)
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No Information available. No Information available. No Information available. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.
Aspiration hazard	No Information available.
Numerical measures of toxicity - P	roduct Information
Unknown Acute Toxicity	2.39822 % of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	7,843.40
ATEmix (dermal) ATEmix (inhalation-dust/mist)	29,616.90 63.90

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

0.14622% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tetrasodium EDTA	-	41: 96 h Lepomis macrochirus mg/L	-
64-02-8		LC50 static	
		59.8: 96 h Pimephales promelas	
		mg/L LC50 static	
Alkyl dimethyl benzyl ammonium	-	0.223 - 0.46: 96 h Lepomis	-
chloride		macrochirus mg/L LC50 static	
68391-01-5		0.823 - 1.61: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		1.3: 96 h Poecilia reticulata mg/L	
		LC50 semi-static	
		2.4: 96 h Oryzias latipes mg/L LC50	
		semi-static	
Sodium Carbonate	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus	265: 48 h Daphnia magna mg/L
497-19-8		mg/L LC50 static	EC50
		310 - 1220: 96 h Pimephales	
		promelas mg/L LC50 static	
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static	mg/L LC50
		13400 - 15100: 96 h Pimephales	2: 48 h Daphnia magna mg/L EC50 Static
		promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas	Static
		mg/L LC50 static	
Trisodium nitrilotriacetate		175 - 225: 96 h Lepomis	560 - 1000: 48 h Daphnia magna
5064-31-3	-	macrochirus mg/L LC50 static	mg/L LC50
5004-51-5		560 - 1000: 96 h Oryzias latipes	Ing/L LC50
		mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50	

	560 - 1000: 96 h Poecilia reticulata
	mg/L LC50 semi-static
	72 - 133: 96 h Oncorhynchus
	mykiss mg/L LC50 static
	93 - 170: 96 h Pimephales promelas
	mg/L LC50 flow-through
	114: 96 h Pimephales promelas
	mg/L LC50
	252: 96 h Lepomis macrochirus
	mg/L LC50
	470: 96 h Pimephales promelas
	mg/L LC50 static
Sodium Hydroxide	- 45.4: 96 h Oncorhynchus mykiss -
1310-73-2	mg/L LC50 static

### Persistence and degradability

No Information available.

#### Bioaccumulation

No Information available.

Other adverse effects	No Information available		
13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Disposal of wastes	Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.		
Contaminated packaging	Dispose of in accordance with federal, state and local regulations. Do not reuse container.		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Sodium Carbonate	Corrosive	
497-19-8		

### **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

TDG

Not regulated

### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

### U.S. State Right-to-Know Regulations

Chemical Name	Chemical Name New Jersey		Pennsylvania	
Ethanol	nol X X		X	
64-17-5				
Sodium Hydroxide	Х	X	X	
1310-73-2				
Trisodium nitrilotriacetate	-	X	-	
5064-31-3				

U.S. EPA Label Information

#### EPA Pesticide Registration Number 10324-93-8370

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection B
Issue Date Revision Date Revision Note	n Date 05-Jul-2023			

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.